One_™ Pressure Balance Valve Trim & Pressure Balance Valve Trim with Diverter

FEATURES

- · Solid brass construction for durability and reliability
- Pressure-balancing technology maintains water temperature within +/-3 degrees Fahrenheit
- High-temperature limit stop helps eliminate scalding
- Complements the One collection

CODES/STANDARDS APPLICABLE

Specified model meets or exceeds the following:


- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1
- ADA (lever handle only)
- OBC (lever handle only)
- CSA B651 (lever handle only)


P24415, P24416


ADA CS

CSA B651

OBC







SPECIFIED MODEL				
Model	Description	Finishes		
P24415-CR	Pressure Balance Valve Trim, Cross Handle	□ CP Polished Chrome□ ULB Unlacquered Brass	☐ AD Nickel Silver☐ GN Gunmetal	BL Matte Black SN Polished Nicke AG Brushed Nickel
P24415-LV	One Pressure Balance Valve Trim, Lever Handle	□ CP Polished Chrome□ ULB Unlacquered Brass	□ AD Nickel Silver□ GN Gunmetal	BL Matte Black SN Polished Nicke AG Brushed Nickel
P24416-CR	One Pressure Balance Valve Trim with Diverter, Cross Handle	□ CP Polished Chrome□ ULB Unlacquered Brass	□ AD Nickel Silver□ GN Gunmetal	BL Matte Black SN Polished Nicke AG Brushed Nickel
P24416-LV	One Pressure Balance Valve Trim with Diverter, Lever Handle	□ CP Polished Chrome□ ULB Unlacquered Brass	□ AD Nickel Silver□ GN Gunmetal	BL Matte Black SN Polished Nicke AG Brushed Nickel
Required Rou	igh-In			
P19310-00	Pressure Balance Rough-in for P24415		□ NA	
P19310-WS	Pressure Balance Rough-in with Stops for P24415		□ NA	
P19310-US	Rough-In with Stops and PEX connections for P24415		□ NA	
P29306-WS	Pressure Balance High-Flow Rough-in for P24415		□ NA	
P29500-00	Pressure Balance Rough-in & Thermostatic Cartridge for PXXX		□ NA	
P29500-WS	Pressure Balance Rough-in & Thermostatic Cartridge with Stops for PXXX		□ NA	
P29305-00	Pressure Balance with Diverter Rough-in for P24416		□ NA	
P29305-WS	Pressure Balance with Diverter Rough-in with Stops for P24416		□ NA	

We reserve the right to make revisions without notice in the design of products or in packaging unless this right has specifically been waived at the time the order is accepted.